

ENERGY STATION is a multi-function mobile unit:


Réf. 026148

- Self contained charger 12 or 24V for cars, vans, trucks and on-site work vehicles.
- Automatic charger 2 x 12 Volts
- Charging can be carried out without supervision:
 - Compatible with 12V or 24V, gel or liquid external batteries from 35 to 225 Ah




Self contained starter 12V and 24V

- ➔ To fit with one or two batteries (not provided) from 120 to 170 Ah.
- ➔ Starting power : dependent upon the chosen battery capacity.
Energy Station is designed to start cars, vans up to on-site work vehicles and buses.
- ➔ Integrated tester to check the charge condition of the internal batteries.



Multi-charges unit 12V or 24V

- ➔ Space saving set of 2 12V chargers with 3 charging outputs:
 - 2 independent outputs: 1 for each trolley batteries
 - 1 output for the external batteries (12 or 24V).
- ➔ Fully and automatically charge without supervision even highly discharged batteries (Floating system – WuU curve)
- ➔ Charge all types of batteries 12V or 24V with liquid or gel electrolyte from 35 to 225 Ah.
- ➔ Polarities reversal protections for the charge of the external batteries.



- ➔ To maximize the life of the internal batteries, charge and keep the Energy Station charged after each use
- ➔ Trolley delivered in a kit requiring some assembly.
- ➔ The Energy Station trolley is equipped with 4 puncture proof wheels, with 2 for steering for excellent mobility.



CE EN 60335-2-29

CHARGE					PROTECTION							
24V	12V	MIN. MAX. Ah	MOYEN /AVERAGE	EFFICACE /RMS	ON OFF		FUSE		INSIDE			
•	•	35>225	2x15A	2x22A	•	•	2x 30A	2x2,50m ø 35mm ²	-	43x53x23 cm	70x60x92 cm	35,5 kg + max 100 kg